



[Back](#)

Optimising E-Fence Porosity for Sediment Retention: A Case Study in Micro-Tidal Beaches

[IOP Conference Series: Earth and Environmental Science](#) • [Conference Paper](#) • [Open Access](#) • 2026 • DOI: 10.1088/1755-1315/1585/1/012006

[Rodzee, Muhammad Fauzi](#)^a; [Zainuddin, Siti Nur Hanani](#)^b; [Taslin, Puteri Nurfarah Adawiyah](#)^b; [Din, Mohammad Ikhmal Siddiq Jefri](#)^b; [Ibrahim, Muhammad Shazril Idris](#)^c; [+3 authors](#)

^a Faculty of Science and Marine Environment, Universiti Malaysia Terengganu, Kuala Nerus, Terengganu, 21030, Malaysia

[Show all information](#)

0

Citations

[View PDF](#)

[Full text](#)

[Export](#)

[Save to list](#)

[Document](#)

[Impact](#)

[Cited by \(0\)](#)

[References \(41\)](#)

[Similar documents](#)

Abstract

Micro-tidal sandy beaches are prone to erosion due to limited natural sediment replenishment, and sand fences are commonly used as a sustainable mitigation measure for coastal erosion, promoting sediment deposition. In 2022, Effective Sand Fence (E-Fence) structures with a 6 cm porosity were introduced at Pantai Batu Rakit, Terengganu, to address ongoing shoreline retreat. However, there is no standardised guideline for optimal porosity design, particularly in monsoon-dominated regions. By employing a 1:10 scale physical modelling approach, this study aims to investigate the effect of porosity on sediment retention under controlled wave conditions in a 2D wave flume. Two E-Fence configurations with porosities of 10 cm and 20 cm were tested in a 2-hour simulation using hydrodynamic parameters of 1.5 m wave height, 1.0 s wave period, and 3.02 m water level, which replicate the monthly extreme event. A high-resolution 3D Terrestrial Laser Scanner (TOPCON GLS-

2000) was used to compare the profile changes between pre- and post-simulation, and sediment volume was analysed via Surfer software and Profiler 3.2 XL. The results showed that the 10 cm porosity trapped more sediment (0.128 m³) than the higher 20 cm configuration (0.105 m³), suggesting that lower porosity enhances trapping efficiency. These findings offer practical insights for optimising sand fence designs by adjusting slat spacing to improve coastal resilience. © Published under licence by IOP Publishing Ltd.

Funding details

Details about financial support for research, including funding sources and grant numbers as provided in academic publications.

Funding sponsor	Funding number	Acronym
MHI		
Institut Penyelidikan Air Kebangsaan Malaysia See opportunities by NAHRIM ↗		NAHRIM
NAHRIIM		
Hydraulic and Instrumentation Laboratory		
Ministry of Higher Education, Malaysia See opportunities by MOHE ↗	FRGS/1/2022/WAB02/UMT/02/1	MOHE
Ministry of Higher Education, Malaysia See opportunities by MOHE ↗		MOHE

Funding text

The authors would like to express their sincere appreciation to Assoc. Prof. Dr. Effi Helmy Ariffin for his valuable guidance, supervision, and constructive input throughout the development of this study. The authors would also like to acknowledge the editors and an anonymous reviewer, who contributed immensely to improving the quality of this publication. This work was supported by the Ministry of Higher Education (MOHE) of Malaysia under the Fundamental Research Grant Scheme (FRGS) FRGS/1/2022/WAB02/UMT/02/1. The authors also extend their gratitude to Hydraulic and Instrumentation Laboratory (MHI), National Water Research Institute of Malaysia (NAHRIIM), for providing rental access to their facility, which played an important role in the

successful completion of this work. Funding This work was funded by the Ministry of Higher Education (MOHE) of Malaysia under the

Corresponding authors

Corresponding
author

M.Z. Ramli

Affiliation

Institute of Oceanography & Maritime Studies (INOCEM), Kulliyyah of
Science, International Islamic Universiti Malaysia, Kuantan, 25200, Malaysia

Email address

mzbr@iium.edu.my

© Copyright 2026 Elsevier B.V., All rights reserved.

Abstract

Funding details

Corresponding authors

About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

Language

[日本語版を表示する](#)

[查看简体中文版本](#)

[查看繁體中文版本](#)

[Просмотр версии на русском языке](#)

Customer Service

[Help](#)

[Tutorials](#)

[Contact us](#)

ELSEVIER

[Terms and conditions](#) ↗ [Privacy policy](#) ↗ [Cookies settings](#)

All content on this site: Copyright © 2026 [Elsevier B.V.](#) ↗, its licensors, and contributors. All rights are reserved, including those for text and data mining, AI training, and similar technologies. For all open access content, the relevant licensing terms apply.

