



MENU

[Smart Search](#) > [Results for Extraction and p...](#) > [Refine results for Tensile, T...](#) >

Tensile, Thermal, and Antimicrobial Properties of Eco-Friendly Rotten Cassa...



Full text at publisher

Export ▾

Add To Marked List

< 1 of 39 >



Tensile, Thermal, and Antimicrobial Properties of Eco-Friendly Rotten Cassava Starch-Based Bioplastics Enhanced with Tea Tree Essential Oil

By

[Are you this author?](#)

[Usof, FB](#) (Usof, Faiqah Batrisyia) ^[1]; [Chan, WC](#) (Chan, Wei Chao) ^[1]; [Adrus, N](#) (Adrus, Nadia) ^[1], ^[2]; [Ali, F](#) (Ali, Fathilah) ^[3]; [Masri, AN](#) (Masri, Asiah Nusaibah) ^[1]; [Samsudin, SA](#) (Samsudin, Sani Amril) ^[1]; [Yusuf, MAM](#) (Mohammed Yusuf, Mohd Asmadi) ^[1]; [Jamaluddin, J](#) (Jamaluddin, Jamarosliza) ^[1], ^[4]

[View Web of Science ResearcherID and ORCID](#) (provided by Clarivate)

Source

CHEMISTRYSELECT

[← View Journal Impact](#)

Volume: 11 Issue: 19

DOI: 10.1002/slct.202505995

Article Number

e05995

Published

MAY 14 2026

Indexed

2026-05-18

Document Type

Article

Abstract

Cassava starch-based bioplastics incorporating tea tree oil (TTO) were developed as an antimicrobial and sustainable packaging alternative. In this study, rotten cassava (RC) starch was evaluated as a raw material and compared with fresh cassava (FC) starch. FTIR analysis indicated that both RC and FC starches possessed identical functional groups, confirming similar chemical structures. The analysis revealed that although RC film exhibited a yellowish-brown color, it only demonstrated 7% lower transparency compared to the clear FC film. FC film exhibited slightly better mechanical properties, with 25% higher tensile strength and 8% greater elongation at break compared to the RC film. Moreover, thermal analysis revealed that RC film had a higher glass transition temperature but slightly lower thermal stability than FC film. Biodegradability tests indicated that RC degraded faster than FC film, with approximately 8.5% greater weight loss. Furthermore, both FC and RC films demonstrated antimicrobial efficacy against *Bacillus subtilis* and *Escherichia coli*. These results indicate that RC starch-based bioplastics with incorporated TTO provide comparable functional properties to FC films while offering enhanced biodegradability and effective antimicrobial activity. These findings support the use of RC starch as a feasible alternative for bioplastic production, thereby contributing to sustainability and circular economy goals.

Keywords

Author Keywords: biodegradability; bioplastic; rotten cassava; tea tree oil; tensile properties

Keywords Plus: FILMS; CORN

Author Information

Corresponding Address: Jamaluddin, Jamarosliza (corresponding author)

▼ Univ Teknol Malaysia, Fac Chem & Energy Engn, Johor Baharu, Johor, Malaysia

Corresponding Address: Jamaluddin, Jamarosliza (corresponding author)

▼ Univ Teknol Malaysia, Inst Bioprod Dev, Skudai, Johor, Malaysia

E-mail Addresses :

jamarosliza@utm.my

Addresses :

▼ ¹ Univ Teknol Malaysia, Fac Chem & Energy Engn, Johor Baharu, Johor, Malaysia

▼ ² Univ Teknol Malaysia, Inst Human Ctr Engn, IJN UTM Cardiovasc Engn Ctr, Johor Baharu, Johor, Malaysia

▼ ³ Int Islamic Univ Malaysia, Dept Chem Engn & Sustainabil, Kulliyyah Engn, Kuala Lumpur, Malaysia

▼ ⁴ Univ Teknol Malaysia, Inst Bioprod Dev, Skudai, Johor, Malaysia

E-mail Addresses :

jamarosliza@utm.my

Data availability statement

The data that support the findings of this study are available from the corresponding author upon reasonable request.

Conflict of interest statement

The authors declare no conflicts of interest.

Categories/ Classification

Research Areas: Chemistry

Citation [3 Agriculture, Environment](#) , [3.85 Food Science &](#) , [3.85.741 Chitosan](#)
Topics: [& Ecology](#) [Technology](#) [Packaging Films](#)