



# Document details

< Back to results | 1 of 1

Export Download Print E-mail Save to PDF Add to List More... >

[Full Text](#) View at Publisher

Microwave and Optical Technology Letters  
2020

## Color detection using non-target reflectivity plastic optical fiber displacement sensor

( Article in press )

Azri, M.F.M.<sup>a</sup>, Zulkifli, M.Z.<sup>a</sup>, Muhammad, F.D.<sup>b</sup>, Yusof, M.K.<sup>a</sup>, Bahari, M.S.<sup>c</sup>, Samsudin, S.A.<sup>d</sup>, Yasin, M.<sup>e</sup>

<sup>a</sup>Department of Physics, Kulliyah of Science, International Islamic University of Malaysia, Kuantan, Pahang, Malaysia

<sup>b</sup>Department of Physics, Faculty of Science, Universiti Putra Malaysia, UPM Serdang, Selangor, Malaysia

<sup>c</sup>School of Manufacturing Engineering, Universiti Malaysia Perlis (UniMAP), Arau, Perlis, Malaysia

View additional affiliations ∨

### Abstract

∨ View references (24)

A simple plastic optical fiber displacement sensor has been demonstrated as a non-contact color detection device. The sensitivity of the sensor is 0.0228, 0.1718, 0.1122, 0.106, and 0.1267 mW/mm for black, blue, green, red, and white, respectively. The experimental results prove that as the color changes from dark to bright, the peak output power increases proportionally. The proposed sensor is highly stable and persistent, with additional advantages of practicality of design, high efficiency, comprehensive depth of field, and low cost of production, which could be beneficial for applications in the sensing field. © 2020 Wiley Periodicals, Inc.

### SciVal Topic Prominence

Topic: Fiber Optics | Optical Cables | Plastic Optical Fibers

Prominence percentile: 66.327

### Author keywords

color optical sensor, light reflection plastics optical fiber displacement sensor

### Indexed keywords

Engineering controlled terms: Color Fiber optic sensors Textiles

Engineering uncontrolled terms: Color changes Color detection Depth of field High-efficiency Highly stables Optical fiber displacement Peak output power Sensing fields

Engineering main heading: Plastic optical fibers

Metrics View all metrics >



PlumX Metrics ∨

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)

[Set citation feed >](#)

### Related documents

Low cost colour sensors for monitoring plant growth in a laboratory

Seelye, M. , Gupta, G.S. , Bailey, D.  
(2011) *Conference Record - IEEE Instrumentation and Measurement Technology Conference*

A new fiber optic salinity sensing device based on beam-through technique

Rahman, H.A. , Yasin, M. , Harun, S.W.  
(2012) *2012 International Conference on Computer and Communication Engineering, ICCCE 2012*

Fiber-optic salinity sensor using fiber-optic displacement measurement with flat and concave mirror

Rahman, H.A. , Harun, S.W. , Yasin, M.  
(2012) *IEEE Journal on Selected Topics in Quantum Electronics*




View all related documents based on references

Find more related documents in Scopus based on:

Authors > Keywords >

References (24)

[View in search results format >](#)

All [Export](#)  [Print](#)  [E-mail](#)  [Save to PDF](#) [Create bibliography](#)

- 
- 1 Seelye, M., Gupta, G.S., Bailey, D., Seelye, J.  
**Low cost colour sensors for monitoring plant growth in a laboratory**  
(2011) *Conference Record - IEEE Instrumentation and Measurement Technology Conference*, art. no. 5944221, pp. 972-977. Cited 18 times.  
ISBN: 978-142447935-1  
doi: 10.1109/IMTC.2011.5944221  
[View at Publisher](#)
- 
- 2 Hernández-López, J.-J., Quintanilla-Olvera, A.-L., López-Ramírez, J.-L., Rangel-Butandaa, F.-J., Ibarra-Manzano, M.-A., Almanza-Ojedab, D.-L.  
**Detecting objects using color and depth segmentation with Kinect sensor**  
(2012) *Proc Technol*, 3, pp. 196-204. Cited 62 times.  
<https://doi.org/10.1016/j.protcy.2012.03.021>
- 
- 3 Stiglitz, R., Mikhailova, E., Post, C., Schlautman, M., Sharp, J., Pargas, R., Glover, B., (...), Mooney, J.  
**Soil color sensor data collection using a GPS-enabled smartphone application**  
(Open Access)  
(2017) *Geoderma*, 296, pp. 108-114. Cited 12 times.  
[www.elsevier.com/inca/publications/store/5/0/3/3/3/2](http://www.elsevier.com/inca/publications/store/5/0/3/3/3/2)  
doi: 10.1016/j.geoderma.2017.02.018  
[View at Publisher](#)
- 
- 4 Mansor, R., Mahmod, O., Bakar, M.A., Ahmad, K.A., Razak, T.R.  
**Fuzzy ripening mango index using RGB colour sensor model**  
(2014) *Res World J Arts Sci Commer*, 5, pp. 1-9. Cited 13 times.
- 
- 5 Avanimathan, S., Sankaranarayanan, K.  
**Use of RGB color sensor in colorimeter for better clinical measurement of blood glucose**  
(2006) *BIME J*, 6 (1), pp. 23-28. Cited 12 times.
- 
- 6 Omar, A.F.B., Mat Jafri, M.Z.B.  
**Optical sensor in the measurement of fruits quality: a review on an innovative approach**  
(2009) *Int J Comput Elect Eng*, 1 (5), pp. 557-561. Cited 7 times.
- 
- 7 Miranda, C., Girard, T., Lauri, P.E.  
**Random sample estimates of tree mean for fruit size and colour in apple**  
(2007) *Scientia Horticulturae*, 112 (1), pp. 33-41. Cited 11 times.  
doi: 10.1016/j.scienta.2006.12.006  
[View at Publisher](#)
- 
- 8 Kang, S.P., Sabarez, H.T.  
**Simple colour image segmentation of bicolour food products for quality measurement**  
(2009) *Journal of Food Engineering*, 94 (1), pp. 21-25. Cited 15 times.  
doi: 10.1016/j.jfoodeng.2009.02.022  
[View at Publisher](#)
-

- 9 Moghavemi, M., Jamuar, S.S., Gan, E.H., Yap, Y.C.  
**Design of low cost flexible RGB color sensor**  
  
(2012) *2012 International Conference on Informatics, Electronics and Vision, ICIEV 2012*, art. no. 6317416, pp. 1158-1162. Cited 6 times.  
ISBN: 978-146731151-9  
doi: 10.1109/ICIEV.2012.6317416  
  
View at Publisher
- 
- 10 Gunawardena, C.A., Clark, L.J., Dennis, T.J.  
, pp. 2531-2534.  
A spot-type defect detection and colour identification system for agriculture produce. Paper presented at Proceedings IEEE IECON'91
- 
- 11 Lingli, C., Shen, L., Hong, P., Din, P.  
, pp. 2415-2419.  
A new colour identification device rirobotics. Paper presented at Proceedings IEEE IECON'91
- 
- 12 Mital, D.P., Leng, G.W., Khwang, T.E.  
, pp. 548-551.  
Colour vision for industrial applications. Paper presented at Proceedings IEEEIECON'90
- 
- 13 Tantaswadi, P., Vilainatre, J., Tamaree, N., Virairan, P.  
**Machine vision for automated visual inspection of cotton quality in textile industries using color isodiscrimination contour**  
  
(1999) *Computers and Industrial Engineering*, 37 (1), pp. 347-350. Cited 34 times.  
doi: 10.1016/S0360-8352(99)00090-X  
  
View at Publisher
- 
- 14 Binnar, T.K., Deoghare, D.D., Patil, P.N., Kurkarni, V.S.  
Designing of RGB color detector  
(2016) *Int J Recent Dev Eng Technol*, 3 (2), pp. 12-15. Cited 3 times.
- 
- 15 Leung, F.Y.C., Demokan, M.S.  
Fiber-optic color sensor. Paper presented at Proceedings of LEOS'94, Boston, MA, USA, 1994  
<https://doi.org/10.1109/LEOS.1994.586933>
- 
- 16 Suganuma, F., Shimamoto, A., Tanaka, K.  
**Development of a differential optical-fiber displacement sensor**  
  
(1999) *Applied Optics*, 38 (7), pp. 1103-1109. Cited 53 times.  
doi: 10.1364/AO.38.001103  
  
View at Publisher
- 
- 17 Rahman, H.A., Harun, S.W., Saidin, N., Yasin, M., Ahmad, H.  
**Fiber optic displacement sensor for temperature measurement**  
  
(2012) *IEEE Sensors Journal*, 12 (5), art. no. 6047556, pp. 1361-1364. Cited 30 times.  
doi: 10.1109/JSEN.2011.2172409  
  
View at Publisher
-

- 18 Sabri, N., Aljunid, S.A., Salim, M.S., Fouad, S.  
Fiber optic sensors: Short review and applications  
(2015) *Springer Series in Materials Science*, 204, pp. 299-311. Cited 13 times.  
<http://www.springer.com/series/856?changeHeader>  
doi: 10.1007/978-981-287-128-2\_19  
[View at Publisher](#)
- 
- 19 Cai, P., Zhen, D., Xu, X., Liu, Y., Chen, N., Wei, G., Sui, C.  
A novel fiber-optic temperature sensor based on high temperature-dependent optical properties of ZnO film on sapphire fiber-ending  
(2010) *Materials Science and Engineering B: Solid-State Materials for Advanced Technology*, 171 (1-3), pp. 116-119. Cited 18 times.  
doi: 10.1016/j.mseb.2010.03.083  
[View at Publisher](#)
- 
- 20 Yasin, M., Harun, S.W., Kusminarto, Karyono, Warsono, Zaidan, A.H., Ahmad, H.  
Study of bundled fiber based displacement sensors using theoretical model and fitting function approaches  
(2009) *Journal of Optoelectronics and Advanced Materials*, 11 (3), pp. 302-307. Cited 13 times.  
<http://inoe.inoe.ro/joam/download.php?idu=1884>
- 
- 21 Garcia-Souto, J.A., Lamela-Rivera, H.  
High resolution (<1nm) interferometric fiber-optic sensor of vibrations in high-power transformers  
(2006) *Optics Express*, 14 (21), pp. 9679-9686. Cited 28 times.  
doi: 10.1364/OE.14.009679  
[View at Publisher](#)
- 
- 22 Yasin, M., Harun, S.W., Apsari, R., Suharningsih, Kusminarto, Karyono, Ahmad, H.  
Detection of tea concentration macerated onto the artificial teeth using fiber optic displacement sensor  
(2010) *Optoelectronics and Advanced Materials, Rapid Communications*, 4 (2), pp. 141-143. Cited 3 times.  
<http://inoe.inoe.ro/oam-rc/download.php?idu=939>
- 
- 23 Sastikumar, D., Gobi, G., Renganathan, B.  
Determination of the thickness of a transparent plate using a reflective fiber optic displacement sensor  
(2010) *Optics and Laser Technology*, 42 (6), pp. 911-917. Cited 30 times.  
doi: 10.1016/j.optlastec.2010.01.008  
[View at Publisher](#)
- 
- 24 Rahman, H.A., Rahim, H.R.A., Ahmad, H., Yasin, M., Apsari, R., Harun, S.W.  
Fiber optic displacement sensor for imaging of tooth surface roughness  
(2013) *Measurement: Journal of the International Measurement Confederation*, 46 (1), pp. 546-551. Cited 19 times.  
doi: 10.1016/j.measurement.2012.08.013  
[View at Publisher](#)

🔍 Yasin, M.; Faculty of Science and Technology, Department of Physics, Airlangga University, Surabaya, Indonesia;  
email:yasin@fst.unair.ac.id

© Copyright 2020 Elsevier B.V., All rights reserved.

## About Scopus

[What is Scopus](#)  
[Content coverage](#)  
[Scopus blog](#)  
[Scopus API](#)  
[Privacy matters](#)

## Language

[日本語に切り替える](#)  
[切换到简体中文](#)  
[切换到繁體中文](#)  
[Русский язык](#)

## Customer Service

[Help](#)  
[Contact us](#)

**ELSEVIER**

[Terms and conditions ↗](#) [Privacy policy ↗](#)

Copyright © Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

 RELX